2013 Grades 7-8 § 1999-2013 Trend Data

Montana Youth Risk Behavior Survey

Montana Office of Public Instruction Health Enhancement and Safety Division June 2013



Injury and Violence								
Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Rode a bicycle and never or rarely wore a bicycle helmet during the past 12 months	81.8	79.2	77.9	77.9	~	75.9	74.4	75.1
Never or rarely wore a seat belt when riding in a car driven by someone else	19.6	16.5	14.3	11.1	13.1	9.6	9.3	7.6
Never or rarely wore a seat belt when driving a car		32.6	26.5	22.3	~	22.6	29.7	15.2
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	28.8	26.0	24.8	24.6	~	21.5	21.2	18.8
Drove a car when they had been drinking alcohol during the past 30 days	8.3	6.8	6.8	5.8	~	5.0	~	~
Carried a weapon such as a gun, knife, or club during the past 30 days	25.7	24.3	22.1	24.5	~	24.2	23.8	24.6
Carried a gun during the past 30 days	12.3	12.9	10.8	11.5	~	10.6	11.1	12.3
Carried a weapon on school property during the past 30 days	8.4	5.9	6.2	5.5	~	8.1	5.5	4.4
Had property such as their car, clothing, or books stolen or deliberately damaged on school property during the past 12 months			34.4	33.3	~	~	23.6	30.8
Did not go to school because they felt unsafe at school or on their way to or from school during the past 30 days	6.4	6.5	6.6	6.2	~	6.0	6.7	8.6
Had been threatened or injured with a weapon on school property during the past 12 months	10.0	10.6	9.6	8.8	~	7.7	6.3	7.0
Were in a physical fight during the past 12 months	46.1	40.3	40.4	41.1	~	38.4	32.2	31.9
Were injured in a physical fight that required medical treatment during the past 12 months	5.0	4.6	4.4	4.2	~	4.1	2.8	3.6
Were in a physical fight on school property during the past 12 months	24.7	21.0	21.6	20.9	~	18.1	14.6	14.6
Have ever been physically forced to have sexual intercourse when they did not want to	6.9	6.1	6.5	5.9	~	~	~	5.8
Were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	8.8	7.5	8.0	7.8	~	~	~	~

Percentage of students who Of dating students, were purposely hit, slammed into something, or injured with an object or weapon by someone they were dating during the past 12 months Of dating students, were forced to do sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flattlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during	Injury and Violence - continued	1999	2001	2003	2005	2007	2009	2011	2013
Of dating students, were purposely hit, slammed into something, or injured with an object or weapon by someone they were dating during the past 12 months Of dating students, were forced to do sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Made a plan about how the past 12 months Made a plan about how they sould attempting suicide during the past 12 months Made a plan about how they sould attempting suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoning, or overdose that required medical treatment during in injury, poisoni	Percentage of students who	1999	2001	2003	2005	2001	2009	2011	2013
injured with an object or weapon by someone they were dating during the past 12 months Of dating students, were forced to do sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7	Of dating students, were purposely								
someone they were dating during the past 12 months Of dating students, were forced to do sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatflining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7									
Dast 12 months Of dating students, were forced to do sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Made a plan about how they would attempt sicide during the past 12 months Made a plan about how they would attempting suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7	1								6.2
Of dating students, were forced to do sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Seriously considered attempting suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
sexual things (e.g., kissing, touching, or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Seriously considered attempting suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months 13.3 15.9 12.8 12.2 ~ 6.1 10.8 12.1 1.1 11.5 1.1 11.									
or being physically forced to have sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
sexual intercourse) by someone they were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
were dating or going out with during the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7									9.2
the past 12 months Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
Had ever been bullied on school property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
property Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flattining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had been electronically bullied, such as the required medical treatment during 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 18.7 18.1 23.8 24.1 23.3 24.5 23.6 22.1 21.3 23.5 22.1 21.3 23.5 22.1 21.3 23.5 22.1 21.3 23.5 24.5 23.6 22.1 21.3 2									
Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during							38.1	50.2	38.1
as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7									
instant messaging, Web sites, or text messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7									
messaging during the past 12 months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during							40.4	00.0	40.7
months Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during							18.1	23.8	18.7
Had been the victim of teasing, name calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
calling or bullying because someone thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during									
thought they were gay, lesbian, or bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during	5 .								
bisexual during the past 12 months Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during p.5 9.5 17.9 16.8 16.6 15.0 16.7 13.4 14.5 11.5 12.5 10.0 11.1 11.5 11.5									18.1
Have ever been choked by someone or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 9.5 9.5 9.5 9.5 10.0 11.1 11.5 11.5 12.8 12.2 10.0 11.1 11.5									
or tried to choke themselves on purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 9.5 9.5 9.5 9.5 10.0 11.1 13.4 14.5 15.9 12.8 12.2 6.1 10.8 12.1									
purpose for the feeling or experience it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 9.5 9.5 9.5 9.5 10.0 11.1 12.5 10.0 11.1 11.5 11.5 12.1 12.1 13.3 13.6 12.7 13.4 14.5 14.0 3.8 3.0 3.1 2.1									
it caused (e.g., Choking Game, Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 124.4 23.3 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 24.4 23.3 24.5 23.6 22.1 21.3 23.5 24.5 24.4 23.3 24.5 23.6 22.1 21.3 23.5 24.5 25.6 26.7 10.0 11.1 11.5 26.1 10.8 12.1									
Knock Out, Space Monkey, Flatlining or the Fainting Game) Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during Language 24.4 23.3 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 20.7 16.7 13.4 14.5 14.5 14.5 15.9 12.8 12.2 25.4 36.1 10.8 12.1									9.5
Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 24.4 23.3 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 20.7 16.7 13.4 14.5 14.5 14.5 15.0 20.7 16.7 10.0 11.1 11.5 11.5 11.5 11.5 12.1 12.1 13.3 13.6 12.1 13.3 13.6 13.8 13.0 13.1 25.4 3.3 3.7									
Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 24.4 23.3 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 23.6 22.1 21.3 23.5 24.5 25.6 26.1 10.8 11.5 27. 28.1 29.1 20.1 20.1 20.2 20.2 20.3 20.5 20.6 20.7 20.7 20.8 20.7 20.8 20									
weeks or more in a row that they stopped doing some usual activities during the past 12 months24.423.324.523.6~22.121.323.5Seriously considered attempting suicide during the past 12 months17.916.816.615.0~16.713.414.5Made a plan about how they would attempt suicide during the past 12 months16.113.313.612.5~10.011.111.5Actually attempted suicide during the past 12 months13.315.912.812.2~6.110.812.1Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during4.03.83.03.1~5.43.33.7									
stopped doing some usual activities during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 24.4 25.3 24.5 25.6 22.1 21.3 23.5 24.5 25.6 26.7 10.0 11.1 11.5 11.5									
during the past 12 months Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 17.9 16.8 16.6 15.0 16.7 13.4 14.5 10.0 11.1 11.5 12.5 6.1 10.8 12.1		24.4	23.3	24.5	23.6	~	22.1	21.3	23.5
Seriously considered attempting suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 17.9 16.8 16.6 15.0 16.7 13.4 14.5 10.0 11.1 11.5 11.5 12.5 6.1 10.8 12.1									
Suicide during the past 12 months Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 17.9 16.8 16.0 15.0 - 10.7 13.4 14.5 11.5 - 10.0 11.1 11.5 12.5 - 6.1 10.8 12.1									
Made a plan about how they would attempt suicide during the past 12 months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 13.3 13.6 12.5 ~ 10.0 11.1 11.5 11.5 11.5 12.8 12.2 ~ 6.1 10.8 12.1 12.1 12.1 13.3 13.3 13.9 13.8 13.0 13.1 ~ 5.4 13.3 13.7		17.9	16.8	16.6	15.0	~	16.7	13.4	14.5
attempt suicide during the past 12									
Months Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 13.3 15.9 12.8 12.2 ~ 6.1 10.8 12.1 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7	,	16 1	12.2	13.6	12.5		10.0	11 1	11 5
Actually attempted suicide during the past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 13.3 15.9 12.8 12.2 ~ 6.1 10.8 12.1 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7		10.1	13.3	13.0	12.5	~	10.0	''''	11.5
past 12 months Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 13.3 15.9 12.8 12.2 ~ 6.1 10.8 12.1 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7									
Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7		13.3	15.9	12.8	12.2	~	6.1	10.8	12.1
injury, poisoning, or overdose that required medical treatment during 4.0 3.8 3.0 3.1 ~ 5.4 3.3 3.7									
required medical treatment during 4.0 3.6 3.0 3.1 ~ 3.4 3.3 3.7									
		4.0	3.8	3.0	3.1	~	5.4	3.3	3.7
	the past 12 months								

Tobacco Use	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who								
Ever tried cigarette smoking	53.9	46.5	40.4	34.9	27.1	26.4	22.0	21.2
Smoked a cigarette before age 13	32.3	25.5	21.3	17.4	15.0	13.9	19.0	10.3
Smoked a cigarette on one or more of the past 30 days ("current")	21.7	15.8	13.2	11.4	9.7	9.7	7.5	6.9
Smoked cigarettes on 20 or more of the past 30 days ("frequent")	6.7	4.7	3.8	2.4	2.2	2.4	1.8	1.3
Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	7.8	8.4	7.8	7.0	8.6	8.0	9.2	4.4
Usually got their cigarettes by buying them in a store or gas station during the past 30 days		1.0	0.7	0.5	1.0	0.6	0.6	0.3
Smoked cigarettes on school property during the past 30 days	7.5	5.0	4.5	3.4	~	~	2.7	1.9
Ever smoked cigarettes daily; that is, at least one cigarette every day for 30 days ("regular")	16.5	10.2	10.2	8.3	8.5	6.2	7.1	6.0
Among current smokers, tried to quit smoking during the past 12 months		99.4	86.3	68.8	~	~	~	66.0
Used chewing tobacco, snuff, or dip during the past 30 days	8.8	7.4	6.5	6.5	6.4	6.2	5.2	4.6
Used chewing tobacco, snuff, or dip on school property during the past 30 days	4.0	4.2	3.4	3.0	~	~	2.8	2.1
Smoked cigars, cigarillos, or little cigars during the past 30 days	9.0	5.8	6.2	5.1	5.7	5.4	4.2	3.3

Alcohol and Other Drug Use	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who	.000	2001	2000	2000	2001	2000	2011	2010
Had at least one drink of alcohol during their life	68.0	63.2	61.2	55.8	44.8	39.9	35.8	41.6
Had first drink of alcohol before age 13	47.9	43.4	40.2	35.5	32.4	28.4	25.8	25.5
Had at least one drink of alcohol during the past 30 days ("current")	32.9	30.2	27.2	22.9	~	20.1	15.5	14.3
Had at least one drink of alcohol on school property during the past 30 days	4.4	4.3	3.9	2.9	~	~	2.9	1.9
Had five or more drinks of alcohol in a row during the past 30 days ("binge drink")	20.1	17.9	15.2	11.9	13.1	11.2	8.3	6.8
Among current drinkers, usually got the alcohol they drank from someone who gave it to them	~	~	~	~	~	~	32.2	33.0
Used marijuana during their life	23.3	21.0	19.4	15.1	15.3	14.9	15.3	16.3
Tried marijuana before age 13	16.4	13.6	14.2	10.4	9.9	9.4	9.8	9.3
Used marijuana during the past 30 days ("current")	13.3	12.5	11.3	8.5	~	9.0	9.0	7.5
Used marijuana on school property during the past 30 days								2.0
Used any form of cocaine during their life	6.5	5.7	5.1	3.7	5.9	4.3	4.2	2.2
Used any form of cocaine during the past 30 days ("current")	3.6	3.7	3.2	2.2	~	~	~	~
Used inhalants during their life	19.2	15.4	16.9	15.0	17.2	13.2	10.2	8.6
Used inhalants during the past 30 days								3.7
Used heroin during their life	3.5	3.0	2.9	2.0	~	~	~	1.1
Used methamphetamines during their life	7.5	5.7	4.6	2.8	3.0	5.0	1.9	1.5
Used ecstasy during their life			3.8	2.7	~	~	~	2.2
Took steroid pills or shots without a doctor's prescription during their life	4.8	4.3	4.4	3.0	4.7	3.2	2.1	1.8

Alcohol and Other Drug Use Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription	~	~	~	~	~	~	6.2	5.4
Used a needle to inject any illegal drug into their body during their life	3.0	2.6	2.7	2.2	~	~	~	1.0
Were offered, sold, or given an illegal drug on school property during the past 12 months	19.6	17.0	16.4	13.8	~	8.0	7.3	13.1

Sexual Behaviors	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who							20	20.0
Ever had sexual intercourse	21.4	19.3	20.2	18.6	16.0	16.8	14.9	13.6
Had sexual intercourse before age 13	11.3	9.6	10.9	10.1	10.3	10.8	8.7	7.2
Had sexual intercourse with four or more people during their life	5.3	4.9	5.5	4.0	3.8	4.4	3.9	2.5
Had sexual intercourse during the past three months ("current")	10.3	9.7	9.4	8.3	~	8.6	~	5.9
Drank alcohol or used drugs before last sexual intercourse	31.8	37.8	32.8	29.6	~	30.4	~	21.9
Used a condom during last sexual intercourse	61.6	64.9	66.3	67.7	69.4	64.9	65.1	62.7
Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse	6.1	7.6	5.7	7.7	~	~	~	~
Had ever been taught about AIDS or HIV infection	84.0	80.9	79.1	78.0	71.2	66.3	62.2	64.1

Weight Management and Dietary Behaviors	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who								
Described themselves as slightly or very overweight	26.8	26.3	27.3	26.8	25.3	25.1	24.3	25.3
Were trying to lose weight	40.4	42.4	42.5	42.6	42.9	40.2	39.6	40.3
Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	12.5	12.3	12.1	11.2	~	8.3	18.1	10.7
Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	6.0	6.0	4.8	3.9	~	2.9	4.3	3.0
Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	5.4	5.4	5.1	5.0	~	3.7	4.9	3.5
Drank 100% fruit juices during the past seven days	82.5	80.0	80.3	79.4	~	77.9	80.3	77.4
Ate fruit during the past seven days	89.4	89.3	89.4	89.5	~	90.6	91.1	92.0
Ate green salad during the past seven days	72.3	71.2	70.1	67.8	~	~	~	67.9
Ate potatoes during the past seven days	75.1	71.9	72.5	68.8	~	~	~	~
Ate carrots during the past seven days	59.8	58.9	58.9	57.6	~	~	~	~
Ate other vegetables during the past seven days	86.0	83.9	84.6	83.8	~	~	~	~
Drank a can, bottle, or glass of soda or pop daily during the past seven days						19.7	18.1	17.7
Drank a can, bottle, or glass of <i>diet</i> soda or pop daily during the past seven days								4.6
Drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt (not sports drinks such as Gatorade or PowerAde), during the past seven days							17.0	~
Drank three or more glasses of milk per day during the past seven days	33.7	30.7	29.1	28.0	~	23.5	~	20.1

Weight Management and Dietary Behaviors - continued Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Ate breakfast daily during the past 7 days						47.9	53.0	49.7
Always, most of the time, or sometimes went hungry because there was not enough food in the home during the past 30 days								10.7

Physical Activity	1999	2001	2003	2005	2007	2009	2011	2013
Percentage of students who								_0.0
Were physically active for a total of at least 60 minutes per day on five or more of the past seven days					56.0	56.3	60.5	59.6
Watched three or more hours per day of TV on an average school day	31.6	28.9	30.7	29.8	27.0	26.8	26.8	24.7
Played 3 or more hours of video or computer games or used a computer for something not school-related on an average school day*					19.6	18.0	23.1	29.8
Attended physical education (PE) classes on one or more days in an average week when they were in school	89.2	85.9	88.5	88.6	89.8	87.5	89.4	90.0
Attended physical education (PE) classes daily in an average week when they were in school	32.1	29.2	23.2	25.0	27.1	29.2	34.4	27.7
Played on one or more sports teams during the past 12 months	78.3	76.5	75.0	75.2	78.1	73.0	75.1	74.8

^{*} Count time spent on things such as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other special networking tools, and the Internet.

Other Percentage of students who	1999	2001	2003	2005	2007	2009	2011	2013
Had ever been told by a doctor or nurse that they had asthma				16.3	18.0	17.4	17.4	18.7
Currently have asthma					12.9	13.1	13.8	~
Used a tanning device such as a sunlamp, sunbed, or tanning booth during the past 12 months								5.0
Received help from a resource teacher, speech therapist or other special education teacher during the past 12 months	19.5	18.2	20.7	15.1	~	~	~	16.4

Dage 7